

Package ‘usefun’

September 17, 2023

Type Package

Title A Collection of Useful Functions by John

Version 0.5.0

Description A set of general functions that I have used in various projects and other R packages. Miscellaneous operations on data frames, matrices and vectors, ROC and PR statistics.

License MIT + file LICENSE

URL <https://github.com/bblodfon/usefun>

BugReports <https://github.com/bblodfon/usefun/issues>

Encoding UTF-8

RoxygenNote 7.2.3

Imports graphics, stats, utils, dplyr, PRROC (>= 1.3.1)

Suggests testthat, covr, readr, mlr3misc

NeedsCompilation no

Author John Zobolas [aut, cph, cre] (<<https://orcid.org/0000-0002-3609-8674>>)

Maintainer John Zobolas <bblodfon@gmail.com>

Repository CRAN

Date/Publication 2023-09-17 08:40:02 UTC

R topics documented:

add_row_to_ternary_df	2
add_vector_to_df	3
binarize_to_thres	4
colors.100	5
dec_to_bin	5
get_common_names	6
get_common_values	7
get_parent_dir	8
get_percentage_of_matches	8

get_roc_stats	9
get_stats_for_unique_values	11
get_ternary_class_id	12
is_between	12
is_empty	13
ldf_arrange_by_rownames	14
make_color_bar_plot	15
make_multiple_density_plot	15
mat_equal	16
normalize_to_range	17
outersect	17
partial_permut	18
pr.test	19
pretty_print_bold_string	20
pretty_print_name_and_value	21
pretty_print_string	21
pretty_print_vector_names	22
pretty_print_vector_names_and_values	22
pretty_print_vector_values	23
print_empty_line	24
prune_and_reorder_vector	24
prune_columns_from_df	25
prune_rows_from_df	26
remove_commented_and_empty_lines	26
save_df_to_file	27
save_mat_to_file	27
save_vector_to_file	28
specify_decimal	28
usefun	29

Index 30

add_row_to_ternary_df *Add a row to a 3-valued (ternary) data.frame*

Description

Use this function on a `data.frame` object (with values only in the 3-element set $\{-1,0,1\}$ ideally - specifying either a positive, negative or none/absent condition/state/result about something) and add an extra **first or last row vector** with zero values, where 1 and -1 will be filled when the column names of the given `data.frame` match the values in the `values.pos` or `values.neg` vector parameters respectively.

Usage

```
add_row_to_ternary_df(
  df,
  values.pos,
  values.neg,
  pos = "first",
  row.name = NULL
)
```

Arguments

df	a data.frame object with values only in the the 3-element set {-1,0,1}. The column names should be node names (gene, protein names, etc.).
values.pos	a character vector whose elements are indicators of a positive state/condition and will be assigned a value of <i>1</i> . These elements must be a subset of the column names of the given df parameter. If empty, no values equal to <i>1</i> will be added to the new row.
values.neg	a character vector whose elements are indicators of a negative state/condition and will be assigned a value of <i>-1</i> . If empty, no values equal to <i>-1</i> will be added to the new row. These elements must be a subset of the column names of the given df parameter.
pos	string. The position where we should put the new row that will be generated. Two possible values: "first" (default) or "last".
row.name	string. The name of the new row that we will added. Default value: NULL.

Value

the df with one extra row, having elements from the {-1,0,1} set depending on values of values.pos and values.neg vectors.

Examples

```
df = data.frame(c(0,-1,0), c(0,1,-1), c(1,0,0))
colnames(df) = c("A","B","C")
df.new = add_row_to_ternary_df(df, values.pos = c("A"), values.neg = c("C"), row.name = "Hello!")
```

add_vector_to_df	<i>Add vector to a (n x 2) data frame</i>
------------------	---

Description

Given a vector, adds each value and its corresponding name to a data frame of 2 columns as new rows, where the name fills in the 1st column and the value the 2nd column.

Usage

```
add_vector_to_df(df, vec)
```

Arguments

df	data.frame, with n rows and 2 columns
vec	a vector

Value

a data.frame with additional rows and each element as a character.

Examples

```
df = data.frame(c(0,0,1), c(0,0,2))
vec = 1:3
names(vec) = c("a", "b", "c")

add_vector_to_df(df, vec)
```

binarize_to_thres	<i>Binarize matrix to given threshold</i>
-------------------	---

Description

Simple function that checks every element of a given matrix (or data.frame) if it surpasses the given threshold either positively or negatively and it outputs 1 for that element, otherwise 0.

Usage

```
binarize_to_thres(mat, thres)
```

Arguments

mat	a matrix or data.frame object
thres	a positive numerical value

Value

a binarized matrix (values either 0 or 1): elements that have 1 correspond to values of mat that they were either larger than the threshold or smaller than it's negative.

Examples

```
mat = matrix(data = -4:4, nrow = 3, ncol = 3)
binarize_to_thres(mat, thres = 0.5)
binarize_to_thres(mat, thres = 2.5)
```

colors.100	<i>100 distinct colors</i>
------------	----------------------------

Description

100 as-much-as-possible distinct colors!

Usage

```
colors.100
```

Format

An object of class character of length 100.

dec_to_bin	<i>Convert decimal number to its binary representation</i>
------------	--

Description

Get the binary representation of any decimal number from 0 to $(2^{31}) - 1$. Doesn't work for larger numbers.

Usage

```
dec_to_bin(decimal_num, bits = 32)
```

Arguments

decimal_num	decimal number between 0 and $(2^{31}) - 1$
bits	number of bits to keep in the result counting from the right. Default value is 32.

Value

a binary string representation of the given decimal number.

Examples

```
# representing 0
dec_to_bin(0,1)
dec_to_bin(0,10)
dec_to_bin(0,32)
dec_to_bin(0)
```

```
# representing 24
dec_to_bin(24,6)
```

```
dec_to_bin(24,21)
dec_to_bin(24)
dec_to_bin(24,3) # note that this will cut the returned result so be careful!
```

get_common_names *Get the common names of two vectors*

Description

This function prints and returns the common names of two vectors. The two vectors don't have to be the same length.

Usage

```
get_common_names(vec1, vec2, vector.names.str = "nodes", with.gt = TRUE)
```

Arguments

vec1	vector with names attribute
vec2	vector with names attribute
vector.names.str	string. Used for printing, it tell us what are the names of the two vectors (use plural form). Default value: "nodes".
with.gt	logical. Determines if the ">" sign will be appended for nice printing in an R notebook (use with the chunk option <i>results = 'asis'</i>). Default value: TRUE.

Value

the character vector of the common names. If there is only one name in common, the vector.names.str gets the last character stripped for readability. If there is no common names, it returns FALSE.

See Also

[pretty_print_vector_values](#), [pretty_print_string](#)

Examples

```
vec1 = c(1,1,1)
vec2 = c(1,2)
names(vec1) = c("a","b","c")
names(vec2) = c("c","b")

common.names = get_common_names(vec1, vec2)
```

get_common_values	<i>Get the common values of two vectors</i>
-------------------	---

Description

This function prints and returns the common values of two vectors. The two vectors don't have to be the same length.

Usage

```
get_common_values(vec1, vec2, vector.values.str = "nodes", with.gt = TRUE)
```

Arguments

vec1	vector
vec2	vector
vector.values.str	string. Used for printing, it tell us what are the values of the two vectors (use plural form). Default value: "nodes".
with.gt	logical. Determines if the ">" sign will be appended for nice printing in an R notebook (use with the chunk option <i>results = 'asis'</i>). Default value: TRUE.

Value

the vector of the common values. If there is only one value in common, the `vector.values.str` gets the last character stripped for readability. If there are no common values, it returns NULL.

See Also

[pretty_print_vector_values](#), [pretty_print_string](#)

Examples

```
vec1 = c(1,2,3)
vec2 = c(3,4,1)

common.names = get_common_values(vec1, vec2)
```

get_parent_dir	<i>Retrieve the parent directory</i>
----------------	--------------------------------------

Description

Use this function to retrieve the parent directory from a string representing the full path of a file or a directory.

Usage

```
get_parent_dir(pathStr)
```

Arguments

pathStr	string. The name of the directory, can be a full path filename.
---------	---

Value

a string representing the parent directory. When a non-file path is used as input (or something along those lines :) then it returns the root ("/") directory.

Examples

```
get_parent_dir("/home/john")
get_parent_dir("/home/john/a.txt")
get_parent_dir("/home")
```

get_percentage_of_matches	<i>Get percentage of matches between two vectors</i>
---------------------------	--

Description

Use this function on two numeric vectors with the same names attribute (columns) and same length, in order to find the percentage of common elements (value matches between the two vectors). The same names for the two vectors ensures that their values are logically matched one-to-one.

Usage

```
get_percentage_of_matches(vec1, vec2)
```

Arguments

vec1	numeric vector with names attribute
vec2	numeric vector with names attribute

Value

the percentage of common values (exact matches) between the two vectors. Can only be a value between 0 (no common elements) and 1 (perfect element match). Note that *NaN* and *NA* values are allowed in the input vectors, but they will always count as a mismatch.

Examples

```
vec1 = c(1, 2, 3, 2)
vec2 = c(20, 2, 2.5, 8)
vec3 = c(1, 2, 333, 222)
names.vec = c(seq(1,4))
names(vec1) = names.vec
names(vec2) = names.vec
names(vec3) = names.vec

match.1.2 = get_percentage_of_matches(vec1, vec2)
match.1.3 = get_percentage_of_matches(vec1, vec3)
```

get_roc_stats

Generate ROC statistics

Description

Use this function to generate the most useful statistics related to the generation of a basic ROC (Receiver Operating Characteristic) curve.

Usage

```
get_roc_stats(df, pred_col, label_col, direction = "<")
```

Arguments

df	a <code>data.frame</code> with (at least) two columns. See next two parameters for what values these two columns should have (which should match one to one).
pred_col	string. The name of the column of the <code>df</code> <code>data.frame</code> that has the prediction values. The values can be any numeric, negative, positive or zero. What matters is the ranking of these values which is clarified with the <code>direction</code> parameter.
label_col	string. The name of the column of the <code>df</code> <code>data.frame</code> that has the true positive labelings/observed classes for the prediction values. This column must have either <i>1</i> or <i>0</i> elements representing either a <i>positive</i> or <i>negative</i> classification label for the corresponding values.
direction	string. Can be either <code>></code> or <code><</code> (default value) and indicates the direction/ranking of the prediction values with respect to the positive class labeling (for a specific threshold). If smaller prediction values indicate the positive class/label use <code><</code> whereas if larger prediction values indicate the positive class/label (e.g. probability of positive class), use <code>></code> .

Value

A list with two elements:

- `roc_stats`: a tibble which includes the **thresholds** for the ROC curve and the **confusion matrix stats** for each threshold as follows: *TP* (#True Positives), *FN* (#False Negatives), *TN* (#True Negatives), *FP* (#False Positives), *FPR* (False Positive Rate - the x-axis values for the ROC curve) and *TPR* (True Positive Rate - the y-axis values for the ROC curve). Also included are the *dist-from-chance* (the vertical distance of the corresponding (FPR,TPR) point to the chance line or positive diagonal) and the *dist-from-0-1* (the euclidean distance of the corresponding (FPR,TPR) point from (0,1)).
- *AUC*: a number representing the Area Under the (ROC) Curve.

The returned results provide an easy way to compute two optimal *cutpoints* (thresholds) that dichotomize the predictions to positive and negative. The first is the *Youden index*, which is the maximum vertical distance from the ROC curve to the chance line or positive diagonal. The second is the point of the ROC curve closest to the (0,1) - the point of perfect differentiation. See examples below.

Examples

```
# load libraries
library(readr)
library(dplyr)

# load test tibble
test_file = system.file("extdata", "test_df.tsv", package = "usefun", mustWork = TRUE)
test_df = readr::read_tsv(test_file, col_types = "di")

# get ROC stats
res = get_roc_stats(df = test_df, pred_col = "score", label_col = "observed")

# Plot ROC with a legend showing the AUC value
plot(x = res$roc_stats$FPR, y = res$roc_stats$TPR,
     type = 'l', lwd = 2, col = '#377EB8', main = 'ROC curve',
     xlab = 'False Positive Rate (FPR)', ylab = 'True Positive Rate (TPR)')
legend('bottomright', legend = round(res$AUC, digits = 3),
      title = 'AUC', col = '#377EB8', pch = 19)
grid()
abline(a = 0, b = 1, col = '#FF726F', lty = 2)

# Get two possible cutoffs
youden_index_df = res$roc_stats %>%
  filter(dist_from_chance == max(dist_from_chance))
min_classification_df = res$roc_stats %>%
  filter(dist_from_0_1 == min(dist_from_0_1))
```

`get_stats_for_unique_values`*Get stats for unique values*

Description

Use this function on two vectors with same names attribute (column names), to find for each unique (numeric) value of the first vector, the average and standard deviation values of the second vector's values (matching is done by column name)

Usage

```
get_stats_for_unique_values(vec1, vec2)
```

Arguments

<code>vec1</code>	vector with names attribute
<code>vec2</code>	vector with names attribute

Value

A data.frame consisting of 3 column vectors. The data.frame size is $n \times 3$, where n is the number of unique values of `vec1` (rows). The columns vectors are:

1. the first input vector pruned to its unique values
2. a vector with the average values for each unique value of the first vector (the matching is done by column name)
3. a vector with the standard deviation values for each unique value of the first vector (the matching is done by column name)

Examples

```
vec1 = c(1, 2, 3, 2)
vec2 = c(20, 2, 2.5, 8)
names.vec = c(seq(1,4))
names(vec1) = names.vec
names(vec2) = names.vec

res = get_stats_for_unique_values(vec1, vec2)
```

get_ternary_class_id *Get ternary class id*

Description

Helper function that checks if a *value* surpasses the given *threshold* either positively, negatively or not at all and returns a value indicating in which class (i.e. interval) it belongs.

Usage

```
get_ternary_class_id(value, threshold)
```

Arguments

value	numeric
threshold	numeric

Value

an integer. There are 3 cases:

- 1: when *value* > *threshold*
- -1: when *value* < $-threshold$
- 0: otherwise

is_between *Is value between two others?*

Description

This function checks if a given value is inside an interval specified by two boundary values.

Usage

```
is_between(value, low.thres, high.thres, include.high.value = FALSE)
```

Arguments

value	numeric
low.thres	numeric. Lower boundary of the interval.
high.thres	numeric. Upper boundary of the interval.
include.high.value	logical. Whether the upper bound is included in the interval or not. Default value: FALSE.

Value

a logical specifying if the value is inside the interval [low.thres,high.thres) (default behaviour) or inside the interval [low.thres,high.thres] if include.high.value is TRUE.

Examples

```
is_between(3,2,4)
is_between(4,2,4)
is_between(4,2,4,include.high.value=TRUE)
```

is_empty

Is object empty?

Description

A function to test whether an object is **empty**. It checks the length of the object, so it has different behaviour than [is.null](#).

Usage

```
is_empty(obj)
```

Arguments

obj a general object

Value

a logical specifying if the object is NULL or not.

Examples

```
# TRUE
is_empty(NULL)
is_empty(c())

# FALSE
is_empty("")
is_empty(NA)
is_empty(NaN)
```

`ldf_arrange_by_rownames`*Rearrange a list of data frames by rownames*

Description

Rearrange a list of data frames by rownames

Usage

```
ldf_arrange_by_rownames(list_df)
```

Arguments

`list_df` a (non-empty) list of `data.frame` objects. The data frames must have the same `colnames` attribute.

Value

a rearranged list of data frames, where the names of the elements of the `list_df` (the 'ids' of the data frames) and the rownames of the data frames have switched places: the unique row names of the original list's combined data frames serve as names for the returned list of data frames, while the data frame 'ids' (names of the original list's elements) now serve as rownames for the data frames in the new list.

E.g. if in the given list there was a `data.frame` with id 'A': `a = list_df[["A"]]` and `rownames(a) = c("row1", "row2")`, then in the rearranged list there would be two data frames with ids "row1" and "row2", each of them having a row with name "A" where also these data rows would be the same as before: `list_df[["A"]][["row1",] == returned_list[["row1"]][["A",]` and `list_df[["A"]][["row2",] == returned_list[["row2"]][["A",]` respectively.

Examples

```
df.1 = data.frame(matrix(data = 0, nrow = 3, ncol = 3,
  dimnames = list(c("row1", "row2", "row3"), c("C.1", "C.2", "C.3"))))
df.2 = data.frame(matrix(data = 1, nrow = 3, ncol = 3,
  dimnames = list(c("row1", "row2", "row4"), c("C.1", "C.2", "C.3"))))
list_df = list(df.1, df.2)
names(list_df) = c("zeros", "ones")
res_list_df = ldf_arrange_by_rownames(list_df)
```

make_color_bar_plot *Make a color bar plot*

Description

Use this function when you want to visualize some numbers and their respective color values. Note that more than 42 colors won't be nice to see (too thin bars)!

Usage

```
make_color_bar_plot(color.vector, number.vector, title, x.axis.label = "")
```

Arguments

`color.vector` vector of color values
`number.vector` vector of numeric values (same length with `color.vector`)
`title` string. The title of the barplot
`x.axis.label` string. The x-axis label. Default value: empty string

Examples

```
color.vector = rainbow(10)  
number.vector = 1:10  
title = "First 10 rainbow() colors"  
make_color_bar_plot(color.vector, number.vector, title)
```

make_multiple_density_plot
 Multiple densities plot

Description

Combine many density distributions to one common plot.

Usage

```
make_multiple_density_plot(  
  densities,  
  legend.title,  
  title,  
  x.axis.label,  
  legend.size = 1  
)
```

Arguments

densities	a list, each element holding the results from executing the <code>density</code> function to a (different) vector. Note that you need to provide a name for each list element for the legend (see example).
legend.title	string. The legend title.
title	string. The plot title.
x.axis.label	string. The x-axis label.
legend.size	numeric. Default value: 1.

Examples

```
mat = matrix(rnorm(60), ncol=20)
densities = apply(mat, 1, density)
names(densities) = c("1st", "2nd", "3rd")
make_multiple_density_plot(densities, legend.title = "Samples",
  x.axis.label = "", title = "3 Normal Distribution Samples")
```

mat_equal

Matrix equality

Description

Check if two matrices are equal. Equality is defined by both of them being matrices in the first place, having the same dimensions as well as the same elements.

Usage

```
mat_equal(x, y)
```

Arguments

x, y matrices

Value

a logical specifying if the two matrices are equal or not.

normalize_to_range *Range normalization*

Description

Normalize a vector, matrix or data.frame of numeric values in a specified range.

Usage

```
normalize_to_range(x, range = c(0, 1))
```

Arguments

x	vector, matrix or data.frame with at least two different elements
range	vector of two elements specifying the desired normalized range. Default value is c(0,1)

Value

the normalized data

Examples

```
vec = 1:10
normalize_to_range(vec)
normalize_to_range(vec, range = c(-1,1))

mat = matrix(c(0,2,1), ncol = 3, nrow = 4)
normalize_to_range(mat, range = c(-5,5))
```

outersect *Outersect*

Description

Performs set *outersection* on two vectors. The opposite operation from intersect!

Usage

```
outersect(x, y)
```

Arguments

x, y	vectors
------	---------

Value

a vector of the non-common elements of x and y.

See Also

[intersect](#)

Examples

```
x = 1:10
y = 2:11

# c(1,11)
outersect(x,y)
```

partial_permut

Get partial permutation of a vector

Description

Get partial permutation of a vector

Usage

```
partial_permut(x, exp_sim = 0)
```

Arguments

x	a vector with at least 2 elements
exp_sim	a value between 0 and 1 indicating the level of <i>expected similarity</i> between the input and output vector. Default value is 0 (random permutation).

Value

a partially (random) permuted vector. If `exp_sim = 0` then the result is equal to `sample(x)` (a random permutation). If `exp_sim = 1` then the result is always the same as the input vector. For `exp_sim` values between 0 and 1 we randomly sample a subset of the input vector inversely proportionate to the `exp_sim` value (e.g. `exp_sim = 0.8` => 20% of the elements) and randomly permute these elements only.

Examples

```
set.seed(42)
partial_permut(x = LETTERS, exp_sim = 0)
partial_permut(x = LETTERS, exp_sim = 0.5)
partial_permut(x = LETTERS, exp_sim = 0.9)
```

<code>pr.test</code>	<i>Compare two Precision-Recall curves</i>
----------------------	--

Description

Test the hypothesis that the true difference in PR AUCs is equal to 0. We implement the same bootstrap method based on the idea from `pROC::roc.test()`. The PR AUC is calculated using `PRROC::pr.curve()` with the interpolation method of Davis (2006).

Usage

```
pr.test(
  labels,
  pred1,
  pred2,
  boot.n = 10000,
  boot.stratified = TRUE,
  alternative = "two.sided"
)
```

Arguments

<code>labels</code>	<code>numeric()</code>	Vector of responses/labels (only two classes/values allowed: cases/positive class = 1 and controls/negative class = 0)
<code>pred1</code>	<code>numeric()</code>	Vector of prediction values. Higher values denote positive class.
<code>pred2</code>	<code>numeric()</code>	Vector of prediction values. Higher values denote positive class. Must have the same length as <code>pred1</code> .
<code>boot.n</code>	<code>numeric(1)</code>	Number of bootstrap resamples. Default: 10000
<code>boot.stratified</code>	<code>logical(1)</code>	Whether the bootstrap resampling is stratified (same number of cases/controls in each replicate as in the original sample) or not. Advised to use especially when classes from <code>labels</code> are imbalanced. Default: TRUE.
<code>alternative</code>	<code>character(1)</code>	Specifies the alternative hypothesis. Either "two.sided", "less" or "greater". Default: "two.sided".

Value

a list with the AUCs of the two original prediction vectors and the p-value of the bootstrap-based test.

References

Davis J, Goadrich M (2006). “The relationship between precision-recall and ROC curves.” *Proceedings of the 23rd International Conference on Machine Learning*, **148**(4), 233–240. doi:10.1145/1143844.1143874.

Examples

```
set.seed(42)
# imbalanced labels
labels = sample(c(0,1), 20, replace = TRUE, prob = c(0.8,0.2))
# predictions
pred1 = rnorm(20)
pred2 = rnorm(20)
pr.test(labels, pred1, pred2, boot.n = 1000, boot.stratified = FALSE)
pr.test(labels, pred1, pred2, boot.n = 1000, boot.stratified = TRUE)
```

```
pretty_print_bold_string
```

```
    Pretty print a bold string
```

Description

Prints a bold string only when `html.output` is enabled. Otherwise, it prints a normal string. The the ">" sign can be appended if nice output in an R notebook is desired.

Usage

```
pretty_print_bold_string(string, with.gt = TRUE, html.output = TRUE)
```

Arguments

<code>string</code>	a string
<code>with.gt</code>	logical. Determines if the ">" sign will be appended for nice printing in an R notebook. (use with the chunk option <code>results = 'asis'</code>). Default value: TRUE.
<code>html.output</code>	logical. If TRUE, it encapsulates the string with the bold tags for an HTML document. Default value: TRUE.

See Also

[pretty_print_string](#)

pretty_print_name_and_value
Pretty print a name and value

Description

Pretty print a name and value

Usage

```
pretty_print_name_and_value(name, value, with.gt = FALSE, with.comma = TRUE)
```

Arguments

name	string
value	string
with.gt	logical. Determines if the ">" sign will be appended for nice printing in an R notebook (use with the chunk option <i>results = 'asis'</i>). Default value: FALSE.
with.comma	logical. Determines if the comma (,) character will be appended to the end of the output. Default value: TRUE.

Examples

```
pretty_print_name_and_value("aName", "aValue", with.gt = TRUE)  
pretty_print_name_and_value("aName", "aValue", with.comma = FALSE)
```

pretty_print_string *Pretty print a string*

Description

Nice printing of a string in an R notebook (default behaviour). Otherwise, it prints the string to the standard R output.

Usage

```
pretty_print_string(string, with.gt = TRUE)
```

Arguments

string	a string
with.gt	logical. Determines if the ">" sign will be appended for nice printing in an R notebook (use with the chunk option <i>results = 'asis'</i>). Default value: TRUE.

See Also

[cat](#)

```
pretty_print_vector_names
```

Pretty printing of a vector's names attribute

Description

Pretty printing of a vector's names attribute

Usage

```
pretty_print_vector_names(  
  vec,  
  vector.names.str = "nodes",  
  sep = ", ",  
  with.gt = TRUE  
)
```

Arguments

<code>vec</code>	vector
<code>vector.names.str</code>	string. It tell us what are the names of the vector (use plural form) in order to fill the print message. Default value: "nodes".
<code>sep</code>	string. The separator character to use to distinguish between the names values. Default value: ", ".
<code>with.gt</code>	logical. Determines if the ">" sign will be appended for nice printing in an R notebook (use with the chunk option <i>results = 'asis'</i>). Default value: TRUE.

See Also

[pretty_print_string](#)

```
pretty_print_vector_names_and_values
```

Pretty printing of a vector's names and values

Description

It outputs a vector's names and values in this format: *name1: value1, name2: value2,...*. You can choose how many elements to show in this format. Use with the chunk option *results = 'asis'* to get a nice printing in an R notebook.

Usage

```
pretty_print_vector_names_and_values(vec, n = -1)
```

Arguments

vec	vector with names attribute
n	the number of elements that you want to print in a nice way. Default value: -1 (pretty print all elements). For any $n < 1$, all elements are printed.

See Also

[pretty_print_name_and_value](#)

pretty_print_vector_values

Pretty printing of a vector's values

Description

Pretty printing of a vector's values

Usage

```
pretty_print_vector_values(  
  vec,  
  vector.values.str = "nodes",  
  sep = ", ",  
  with.gt = TRUE  
)
```

Arguments

vec	vector
vector.values.str	string. It tell us what are the values of the vector (use plural form) in order to fill the print message. Default value: "nodes".
sep	string. The separator character to use to distinguish between the vector values. Default value: ", ".
with.gt	logical. Determines if the ">" sign will be appended for nice printing in an R notebook (use with the chuck option <i>results = 'asis'</i>). Default value: TRUE.

See Also

[pretty_print_string](#)

`print_empty_line` *Print an empty line*

Description

Print an empty line

Usage

```
print_empty_line(html.output = FALSE)
```

Arguments

`html.output` logical. If TRUE, it outputs an empty line for an HTML document, else an empty line for the standard R output. Default value: FALSE.

See Also

[cat](#)

`prune_and_reorder_vector`
Prune and reorder vector elements

Description

Given two vectors, the first one's elements are pruned and reordered according to the common values of the second vector and the elements' names (*attribute*) of the first. If there no common such values, an empty vector is returned.

Usage

```
prune_and_reorder_vector(vec, filter.vec)
```

Arguments

`vec` a vector with names attribute
`filter.vec` a character vector whose values will be used to filter the `vec` elements

Value

the pruned and re-arranged vector.

Examples

```
vec = c(1,2,3)
names(vec) = c("a", "b", "c")

filter.vec1 = c("a")
prune_and_reorder_vector(vec, filter.vec1)

filter.vec2 = c("c", "ert", "b")
prune_and_reorder_vector(vec, filter.vec2)
```

prune_columns_from_df *Prune single-value columns from a data frame*

Description

Given a `data.frame` and an integer value, it checks whether there is a column vector whose values match the given one. If so, it prunes that single-valued column from the `data.frame`

Usage

```
prune_columns_from_df(df, value)
```

Arguments

df	data.frame
value	an integer value

Value

the column-pruned `data.frame`

Examples

```
df = data.frame(c(0,0,0), c(0,1,0), c(1,0,0))
prune_columns_from_df(df, value = 0)
```

prune_rows_from_df *Prune single-value rows from a data frame*

Description

Given a `data.frame` and an integer value, it checks whether there is a row vector whose values match the given one. If so, it prunes that single-valued row from the `data.frame`

Usage

```
prune_rows_from_df(df, value)
```

Arguments

<code>df</code>	<code>data.frame</code>
<code>value</code>	an integer value

Value

the row-pruned `data.frame`

Examples

```
df = data.frame(c(0,0,0), c(0,1,0), c(1,0,0))
prune_rows_from_df(df, value = 0)
```

remove_commented_and_empty_lines
Remove commented and empty lines

Description

Removes empty or commented lines from a character vector (each element being a line)

Usage

```
remove_commented_and_empty_lines(lines)
```

Arguments

<code>lines</code>	a character vector, usually the result from using the readLines function
--------------------	--

Value

a character vector of the pruned lines

save_df_to_file	<i>Save data frame to a specified file</i>
-----------------	--

Description

Function for saving a data.frame to a specified file. Column and row names are written by default and the *tab* is used as a delimiter.

Usage

```
save_df_to_file(df, file)
```

Arguments

df	data.frame
file	string. The name of the file, can be a full path.

save_mat_to_file	<i>Save matrix to a specified file</i>
------------------	--

Description

Function for saving a matrix to a specified file. Uses the [save_df_to_file](#) function.

Usage

```
save_mat_to_file(mat, file)
```

Arguments

mat	matrix
file	string. The name of the file, can be a full path.

`save_vector_to_file` *Save vector to a specified file*

Description

Function for saving a vector with or without its row names to a specified file. By default the *tab* is used as a delimiter.

Usage

```
save_vector_to_file(vector, file, with.row.names = FALSE)
```

Arguments

<code>vector</code>	vector
<code>file</code>	string. The name of the file, can be a full path.
<code>with.row.names</code>	logical. If TRUE, then the <code>names(vector)</code> will be included in the output file. Default value: FALSE.

`specify_decimal` *Specify decimal*

Description

Use this function to transform a given decimal number to the desired precision by choosing the number of digits after the decimal point.

Usage

```
specify_decimal(number, digits.to.keep)
```

Arguments

<code>number</code>	numeric
<code>digits.to.keep</code>	numeric. Refers to the digits to keep after decimal point '.'. This value should be 15 or less.

Value

the pruned number in string format

Examples

```
# 0.123
specify_decimal(0.1233213, 3)
```

usefun

usefun

Description

A collection of useful functions by John

Details

For a complete list of functions, use `library(help = "usefun")`

Index

- * **datasets**
 - colors.100, 5
- add_row_to_ternary_df, 2
- add_vector_to_df, 3
- binarize_to_thres, 4
- cat, 21, 24
- colors.100, 5
- dec_to_bin, 5
- density, 16
- get_common_names, 6
- get_common_values, 7
- get_parent_dir, 8
- get_percentage_of_matches, 8
- get_roc_stats, 9
- get_stats_for_unique_values, 11
- get_ternary_class_id, 12
- intersect, 18
- is.null, 13
- is_between, 12
- is_empty, 13
- ldf_arrange_by_rownames, 14
- make_color_bar_plot, 15
- make_multiple_density_plot, 15
- mat_equal, 16
- normalize_to_range, 17
- outersect, 17
- partial_permut, 18
- pr.test, 19
- pretty_print_bold_string, 20
- pretty_print_name_and_value, 21, 23
- pretty_print_string, 6, 7, 20, 21, 22, 23
- pretty_print_vector_names, 22
- pretty_print_vector_names_and_values, 22
- pretty_print_vector_values, 6, 7, 23
- print_empty_line, 24
- pROC::roc.test(), 19
- PRROC::pr.curve(), 19
- prune_and_reorder_vector, 24
- prune_columns_from_df, 25
- prune_rows_from_df, 26
- readLines, 26
- remove_commented_and_empty_lines, 26
- save_df_to_file, 27, 27
- save_mat_to_file, 27
- save_vector_to_file, 28
- specify_decimal, 28
- usefun, 29
- usefun-package (usefun), 29