

**NAME**

curl\_getdate - Convert a date string to number of seconds

**SYNOPSIS**

```
#include <curl/curl.h>
```

```
time_t curl_getdate(char *datestring, time_t *now );
```

**DESCRIPTION**

*curl\_getdate(3)* returns the number of seconds since the Epoch, January 1st 1970 00:00:00 in the UTC time zone, for the date and time that the *datestring* parameter specifies. The *now* parameter is not used, pass a NULL there.

**PARSING DATES AND TIMES**

A "date" is a string containing several items separated by whitespace. The order of the items is immaterial. A date string may contain many flavors of items:

**calendar date items**

Can be specified several ways. Month names can only be three-letter english abbreviations, numbers can be zero-prefixed and the year may use 2 or 4 digits. Examples: 06 Nov 1994, 06-Nov-94 and Nov-94 6.

**time of the day items**

This string specifies the time on a given day. You must specify it with 6 digits with two colons: HH:MM:SS. To not include the time in a date string, will make the function assume 00:00:00. Example: 18:19:21.

**time zone items**

Specifies international time zone. There are a few acronyms supported, but in general you should instead use the specific relative time compared to UTC. Supported formats include: -1200, MST, +0100.

**day of the week items**

Specifies a day of the week. Days of the week may be spelled out in full (using english): 'Sunday', 'Monday', etc or they may be abbreviated to their first three letters. This is usually not info that adds anything.

**pure numbers**

If a decimal number of the form YYYYMMDD appears, then YYYY is read as the year, MM as the month number and DD as the day of the month, for the specified calendar date.

**EXAMPLES**

Sun, 06 Nov 1994 08:49:37 GMT  
Sunday, 06-Nov-94 08:49:37 GMT  
Sun Nov 6 08:49:37 1994  
06 Nov 1994 08:49:37 GMT  
06-Nov-94 08:49:37 GMT  
Nov 6 08:49:37 1994  
06 Nov 1994 08:49:37  
06-Nov-94 08:49:37  
1994 Nov 6 08:49:37  
GMT 08:49:37 06-Nov-94 Sunday  
94 6 Nov 08:49:37  
1994 Nov 6  
06-Nov-94  
Sun Nov 6 94  
1994.Nov.6  
Sun/Nov/6/94/GMT  
Sun, 06 Nov 1994 08:49:37 CET  
06 Nov 1994 08:49:37 EST

Sun, 12 Sep 2004 15:05:58 -0700  
Sat, 11 Sep 2004 21:32:11 +0200  
20040912 15:05:58 -0700  
20040911 +0200

## STANDARDS

This parser was written to handle date formats specified in RFC 822 (including the update in RFC 1123) using time zone name or time zone delta and RFC 850 (obsoleted by RFC 1036) and ANSI C's `asctime()` format. These formats are the only ones RFC2616 says HTTP applications may use.

## RETURN VALUE

This function returns -1 when it fails to parse the date string. Otherwise it returns the number of seconds as described.

If the year is larger than 2037 on systems with 32 bit `time_t`, this function will return 0x7fffffff (since that is the largest possible signed 32 bit number).

Having a 64 bit `time_t` is not a guarantee that dates beyond 03:14:07 UTC, January 19, 2038 will work fine. On systems with a 64 bit `time_t` but with a crippled `mktime()`, *curl\_getdate(3)* will return -1 in this case.

## SEE ALSO

**curl\_easy\_escape(3), curl\_easy\_unescape(3), CURLOPT\_TIMECONDITION(3), CURLOPT\_TIMEVALUE(3)**